

CERTIFICATE OF ANALYSIS

Prepared for:

Northstar Hemp

2400 N Second St. #305 Minneapolis, MN US 55411

Anytime Gummy

Batch ID or Lot Number: NSHGL003SC144	Test: Potency	Reported: 02Jun2023	USDA License: N/A		
Matrix: Unit	Test ID: T000244943	Started: 02Jun2023	Sampler ID: N/A		
	Method(s): TM14 (HPLC-DAD)	Received: 26May2023	Status: N/A		

Cannabinoids	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes	
Cannabichromene (CBC)	0.179	0.608	ND	ND ND	# of Servings = 1, Sample	
Cannabichromenic Acid (CBCA)	0.164	0.556	ND			
Cannabidiol (CBD)	0.497	1.595	ND	ND Weight=2.4g		
Cannabidiolic Acid (CBDA)	0.510	1.635	ND			
Cannabidivarin (CBDV)	0.117	0.377	ND	ND	_	
Cannabidivarinic Acid (CBDVA)	0.213	0.682	ND	ND		
Cannabigerol (CBG)	0.102	0.345	ND	ND	-	
Cannabigerolic Acid (CBGA)	0.425	1.444	ND	ND		
Cannabinol (CBN)	0.133	0.451	ND	ND		
Cannabinolic Acid (CBNA)	0.290	0.985	ND	ND		
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.506	1.720	ND	ND		
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.460	1.562	4.720	2.00		
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.407	1.384	ND	ND		
Tetrahydrocannabivarin (THCV)	0.092	0.314	ND	ND		
Tetrahydrocannabivarinic Acid (THCVA)	0.359	1.221	ND	ND		
Total Cannabinoids			4.720	2.00		
Total Potential THC			4.720	2.00		
Total Potential CBD			ND	ND		

Final Approval

PREPARED BY / DATE

Samantha Smo

Sam Smith 02Jun2023 03:08:00 PM MDT

APPROVED BY / DATE

Karen Winternheimer 02Jun2023 03:10:00 PM MDT



Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



SC Laboratories, Inc. | © All Rights Reserved | 1301 S Jason St Unit K, Denver, CO 80223 | 888.800.8223 | www.sclabs.com