

Prepared for:

Fulton Brewing

2540 2nd Street NE

Minneapolis, MN USA 55418

YBNT-1943

Batch ID or Lot Number: YBNT-1943	Test: Potency	Reported: 18Mar2024	USDA License: N/A
Matrix: Unit	Test ID: T000274438	Started: 18Mar2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 15Mar2024	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.156	0.507	ND	ND	# of Servings = 1, Sample Weight=360.89g
Cannabichromenic Acid (CBCA)	0.142	0.464	ND	ND	
Cannabidiol (CBD)	0.444	1.311	ND	ND	
Cannabidiolic Acid (CBDA)	0.456	1.344	ND	ND	
Cannabidivarin (CBDV)	0.105	0.310	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.190	0.561	ND	ND	
Cannabigerol (CBG)	0.088	0.288	ND	ND	
Cannabigerolic Acid (CBGA)	0.369	1.204	ND	ND	
Cannabinol (CBN)	0.115	0.376	1.650	0.00	
Cannabinolic Acid (CBNA)	0.252	0.822	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.440	1.435	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.400	1.303	4.510	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.354	1.155	ND	ND	
Tetrahydrocannabivarin (THCV)	0.080	0.262	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.312	1.018	ND	ND	
Total Cannabinoids			6.160	0.00	
Total Potential THC			4.510	0.00	
Total Potential CBD			ND	ND	

Final Approval



Karen Winternheimer
18Mar2024
01:55:00 PM MDT

PREPARED BY / DATE



Phillip Travisano
18Mar2024
01:56:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/3b0578fe-2c05-4297-9e49-38f6d377b904>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02

3b0578fe2c0542979e4938f6d377b904.1